
This appendix refers to the EPD MD-24040-EN. Results in the appendix communicates LCA results in the format described in EN15804+A1:2013, in order to accommodate a need in the transition period between the two standard revisions. The appendix cannot stand alone, as the reference EPD describes the basis of the assessment.

RT483 UK-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT483 UK-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,2E+02	5,3E+00	2,3E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,1E+00
OPD	[kg CFC 11 eq.]	6,7E-06	9,5E-08	1,3E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,6E-08
AP	[kg SO ₂ eq.]	7,4E-01	1,6E-02	2,6E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,2E-02
EP	[kg SO ₄ ³⁻ eq.]	1,2E-01	3,4E-03	7,6E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,1E-02
POCP	[kg ethene-eq.]	1,9E-02	8,3E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,3E-03
ADPE	[kg Sb-eq.]	9,2E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,4E-05
ADPF	[MJ]	2,8E+03	7,6E+01	1,0E+01	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,6E+01
Caption	<p>GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources</p> <p>The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	3E+01	0E+00	-3E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-3E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	8E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	8E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	1E+00	1E-02	7E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	<p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	3E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	1E-03	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	1E+00	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	8E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	<p>HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RT481 UK-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT481 UK-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,1E+02	5,3E+00	2,3E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,1E+00
OPD	[kg CFC 11 eq.]	6,6E-06	9,5E-08	1,3E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,6E-08
AP	[kg SO ₂ eq.]	7,0E-01	1,6E-02	2,6E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,2E-02
EP	[kg SO ₄ ³⁻ eq.]	1,1E-01	3,4E-03	7,6E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,1E-02
POCP	[kg ethene-eq.]	1,8E-02	8,3E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,3E-03
ADPE	[kg Sb-eq.]	8,5E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,4E-05
ADPF	[MJ]	2,8E+03	7,6E+01	1,0E+01	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,6E+01
Caption	GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources									
	The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	3E+01	0E+00	-3E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-3E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	6E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	7E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	8E-01	1E-02	7E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water									
	The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	2E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	5E-04	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	1E+00	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	8E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy									
	The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

RT448 UK-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT448 UK-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,2E+02	5,3E+00	2,3E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,1E+00
OPD	[kg CFC 11 eq.]	6,7E-06	9,5E-08	1,3E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,6E-08
AP	[kg SO ₂ eq.]	7,3E-01	1,6E-02	2,6E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,2E-02
EP	[kg SO ₄ ³⁻ eq.]	1,2E-01	3,4E-03	7,6E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,1E-02
POCP	[kg ethene-eq.]	1,9E-02	8,3E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,3E-03
ADPE	[kg Sb-eq.]	9,2E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,4E-05
ADPF	[MJ]	2,8E+03	7,6E+01	1,0E+01	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,6E+01
Caption	<p>GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources</p> <p>The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	3E+01	0E+00	-3E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-3E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	8E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	8E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	1E+00	1E-02	7E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	<p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	3E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	1E-03	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	1E+00	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	8E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	<p>HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RT436 UK-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT436 UK-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,1E+02	5,3E+00	2,3E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,1E+00
OPD	[kg CFC 11 eq.]	6,6E-06	9,5E-08	1,3E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,6E-08
AP	[kg SO ₂ eq.]	7,0E-01	1,6E-02	2,6E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,2E-02
EP	[kg SO ₄ ³⁻ eq.]	1,1E-01	3,4E-03	7,6E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,1E-02
POCP	[kg ethene-eq.]	1,8E-02	8,3E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,3E-03
ADPE	[kg Sb-eq.]	8,5E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,4E-05
ADPF	[MJ]	2,8E+03	7,6E+01	1,0E+01	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,6E+01
Caption	<p>GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources</p> <p>The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	3E+01	0E+00	-3E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-3E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	6E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	7E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	9E-01	1E-02	7E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	<p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	2E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	5E-04	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	1E+00	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	8E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	<p>HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RT435 UK-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT435 UK-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,4E+02	5,3E+00	2,3E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,1E+00
OPD	[kg CFC 11 eq.]	6,7E-06	9,5E-08	1,3E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,6E-08
AP	[kg SO ₂ eq.]	7,2E-01	1,6E-02	2,6E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,2E-02
EP	[kg SO ₄ ³⁻ eq.]	1,1E-01	3,4E-03	7,6E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,1E-02
POCP	[kg ethene-eq.]	1,9E-02	8,3E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,3E-03
ADPE	[kg Sb-eq.]	8,4E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,4E-05
ADPF	[MJ]	2,8E+03	7,6E+01	1,0E+01	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,6E+01
Caption	<p>GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources</p> <p>The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	3E+01	0E+00	-3E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-3E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	7E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	7E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-7E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	2E+03	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	1E+00	1E-02	7E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	<p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	3E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	6E-04	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	1E+00	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	8E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	<p>HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RT404 DE-NF BS

ENVIRONMENTAL IMPACTS PER TONNES RT404 DE-NF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,4E+02	5,2E+00	2,2E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,0E+00
OPD	[kg CFC 11 eq.]	6,8E-06	9,4E-08	1,2E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,3E-08
AP	[kg SO ₂ eq.]	7,6E-01	1,6E-02	2,5E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,1E-02
EP	[kg SO ₄ ³⁻ eq.]	1,2E-01	3,4E-03	6,9E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,0E-02
POCP	[kg ethene-eq.]	2,4E-02	8,2E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,2E-03
ADPE	[kg Sb-eq.]	8,9E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,3E-05
ADPF	[MJ]	3,5E+03	7,5E+01	9,8E+00	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,5E+01
Caption	GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources									
	The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-2E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	2E+03	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-6E+01
PENRM	[MJ]	3E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	2E+03	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-6E+01
SM	[kg]	1E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	9E-01	1E-02	6E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water									
	The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	3E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	1E-02	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	7E-01	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	7E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy									
	The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.									

RT215 DE-RF BS

ENVIRONMENTAL IMPACTS PER TONNES RT215 DE-RF BS										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
GWP	[kg CO ₂ eq.]	2,5E+02	5,2E+00	2,2E+00	0,0E+00	0,0E+00	7,3E+00	3,4E+00	5,4E-02	-5,0E+00
OPD	[kg CFC 11 eq.]	6,4E-06	9,4E-08	1,2E-08	0,0E+00	0,0E+00	1,3E-07	4,5E-08	1,5E-09	-8,3E-08
AP	[kg SO ₂ eq.]	6,4E-01	1,6E-02	2,5E-03	0,0E+00	0,0E+00	2,1E-02	3,0E-02	3,2E-04	-3,1E-02
EP	[kg SO ₄ ³⁻ eq.]	8,8E-02	3,4E-03	7,0E-04	0,0E+00	0,0E+00	4,7E-03	5,4E-03	6,2E-05	-1,0E-02
POCP	[kg ethene-eq.]	1,5E-02	8,2E-04	1,1E-04	0,0E+00	0,0E+00	1,2E-03	6,2E-04	1,4E-05	-2,2E-03
ADPE	[kg Sb-eq.]	6,2E-04	1,4E-05	1,5E-06	0,0E+00	0,0E+00	2,4E-05	1,2E-06	5,8E-08	-5,3E-05
ADPF	[MJ]	2,6E+03	7,5E+01	9,8E+00	0,0E+00	0,0E+00	1,0E+02	4,5E+01	1,4E+00	-5,5E+01
Caption	<p>GWP = Global warming potential; OPD = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources</p> <p>The numbers are declared in scientific notation, e.g. 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

RESOURCE USE PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
PERE	[MJ]	3E+02	1E+00	2E-01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PERM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PERT	[MJ]	3E+02	1E+00	-2E+01	0E+00	0E+00	2E+00	3E-01	3E-02	-3E+01
PENRE	[MJ]	5E+02	8E+01	1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-6E+01
PENRM	[MJ]	2E+01	0E+00	-2E+01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
PENRT	[MJ]	5E+02	8E+01	-1E+01	0E+00	0E+00	1E+02	5E+01	1E+00	-6E+01
SM	[kg]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
RSF	[MJ]	5E+02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
NRSF	[MJ]	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
FW	[m ³]	8E-01	1E-02	6E-03	0E+00	0E+00	1E-02	4E-03	2E-03	-4E-01
Caption	<p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

WASTE CATEGORIES AND OUTPUT FLOWS PER TONNES										
Parameter	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
HWD	[kg]	2E-02	5E-04	6E-05	0E+00	0E+00	7E-04	3E-04	7E-06	-4E-04
NHWD	[kg]	2E+01	7E+00	3E+01	0E+00	0E+00	5E+00	6E-02	1E+01	-9E-01
RWD	[kg]	5E-04	2E-05	5E-06	0E+00	0E+00	3E-05	5E-06	3E-07	-1E-04

CRU	[kg]	8E-01	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
MFR	[kg]	3E+01	0E+00	7E-01	0E+00	0E+00	0E+00	1E+03	0E+00	0E+00
MER	[kg]	4E-02	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
EE	[MJ]	0E+00	0E+00	7E+00	0E+00	0E+00	0E+00	0E+00	0E+00	0E+00
Caption	<p>HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy</p> <p>The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*102 or 195, while 1,12E-11 is the same as 1,12*10-11 or 0,0000000000112.</p>									

Checked and approved by



Mirko Miseljic, FORCE Technology Denmark
Third party verifier of MD-24040-EN



Martha Katrine Sørensen
EPD Danmark